

| | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|----------------------------------|
| PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION FOR AN APPLICATION June 15, 2004 (Use additional sheets if necessary) | ATTORNEY DOCKET NO. 1407.1037-009 | APPLICATION NO. 10/734,652 | |
| | FIRST NAMED INVENTOR Anuj Bellare | | FILING DATE December 12, 2003 |
| | EXAMINER Unknown | CONFIRMATION NO. 8950 | GROUP 1714 |

| U.S. PATENT DOCUMENTS | | | | |
|-------------------------------|-------------|------------------------------------------------|------------------------------------------------|----------------------------------------------------|
| EXAM- INER INI- TIAL | REF. NO. | DOCUMENT NUMBER Number-Kind Code (if known) | ISSUE DATE / PUBLICATION DATE MM-DD-YYYY | NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT |
| TY | AA | 4,500,658 | 02-19-1985 | Fox |
| TY | AB | 4,791,150 | 12-13-1988 | Braden <i>et al.</i> |
| TY | AC | 4,373,217 | 02-15-1983 | Draenert |
| TY | AD | 5,574,075 | 11-12-1996 | Draenert |
| TY | AE | 5,334,356 | 08-02-1994 | Baldwin <i>et al.</i> |
| TY | AF | 4,473,665 | 09-25-1984 | Martini-Vvedensky <i>et al.</i> |
| TY | AG | 4,588,583 | 05-13-1986 | Pietsch <i>et al.</i> |
| TY | AH | 5,328,262 | 07-12-1994 | Lidgren <i>et al.</i> |
| TY | AI | 4,735,625 | 04-05-1988 | Davidson |
| TY | AJ | 5,795,922 | 08-18-1998 | Demian <i>et al.</i> |
| TY | AK | 5,055,497 | 10-08-1991 | Okada <i>et al.</i> |
| TY | AA2 | 6,020,396 | 08-01-2000 | Jacobs |
| TY | AB2 | 6,013,591 | 01-11-2000 | Ying <i>et al.</i> |
| TY | AC2 | 4,396,476 | 08-02-1983 | Roemer <i>et al.</i> |
| TY | AD2 | 4,239,113 | 12-16-1980 | Gross <i>et al.</i> |
| TY | AE2 | 4,490,497 | 12-25-1984 | Evrard <i>et al.</i> |
| TY | AF2 | 4,617,327 | 10-14-1986 | Podsun |
| TY | AG2 | 5,030,474 | 07-09-1991 | Saita <i>et al.</i> |
| TY | AH2 | 5,797,873 | 08-25-1998 | Franz <i>et al.</i> |
| TY | AI2 | 5,847,046 | 12-08-1998 | Jiang <i>et al.</i> |
| TY | AJ2 | 6,080,801 | 06-27-2000 | Draenert <i>et al.</i> |
| TY | AK2 | 6,197,410 B1 | 03-06-2001 | Vallittu <i>et al.</i> |
| TY | AA3 | 6,203,844 B1 | 03-20-2001 | Park |
| TY | AB3 | 3,156,666 | 11-10-1964 | Pruett |
| TY | AC3 | 3,471,439 | 10-07-1969 | Bixler, <i>et al.</i> |
| TY | AD3 | 4,124,562 | 11-07-1978 | Yui, <i>et al.</i> |

| | |
|------------------------|-------------------------------|
| EXAMINER /Tae Yoon/ | DATE CONSIDERED 08/17/2006 |
|------------------------|-------------------------------|

| | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--|-----------------------------------------|----------------------|
| PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION June 15, 2004 (Use several sheets if necessary) | ATTORNEY DOCKET NO. 1407.1037-009 | | APPLICATION NO. 10/734,652 | |
| | FIRST NAMED INVENTOR Anuj Bellare | | FILING DATE December 12, 2003 | |
| | EXAMINER Unknown | | CONFIRMATION NO. 8950 | GROUP 1714 |

| FOREIGN PATENT DOCUMENTS | | | | | | |
|--------------------------|-----|-------------------|---------------|----------------|-----------------------|--|
| | | DOCUMENT NUMBER | DATE | COUNTRY | TRANSLATION YES NO | |
| TY | AL | DE 42 29 947 A1 | 9 Aug. 1992 | Germany | X | |
| TY | AM | EP 0 853 929 A2 | 22 Jul. 1998 | EPO | | |
| TY | AN | EP 0 875 456 A1 | 04 Nov. 1998 | EPO | | |
| TY | AO | EP 0 768 067 A2 | 16 Apr. 1997 | EPO | | |
| TY | AP | WO 96/07472 A1 | 14 Mar. 1996 | WIPO | | |
| TY | AQ | EP 0 796 653 A2 | 24 Sept. 1997 | EPO | | |
| TY | AL2 | WO 96/40424 | 19 Dec. 1996 | WIPO | | |
| TY | AM2 | WO 97/18031 | 22 May 1997 | WIPO | | |
| TY | AN2 | WO 97/21485 | 19 June 1997 | WIPO | | |
| TY | AO2 | EP 0 872 223 A1 | 21 Oct. 1998 | EPO | | |
| TY | AP2 | WO 96/11714 | 25 Apr. 1996 | WIPO | | |
| TY | AQ2 | GB 1 532 318 | 22 Nov. 1976 | United Kingdom | | |
| TY | AL3 | EP 1 293 531 A1 | 19 Mar. 2003 | EPO | | |
| TY | AM3 | EP 1 366 774 A1 ✓ | 25 Apr. 2003 | EPO | | |
| TY | AN3 | EP 0 041 614 A1 ✓ | 16 Dec. 1981 | EPO | | |
| TY | AO3 | EP 0 089 782 A1 ✓ | 28 Sept. 1983 | EPO | | |
| TY | AP3 | EP 1 095 984 A1 ✓ | 02 May 2001 | EPO | | |
| TY | AQ3 | 1 278 413 ✓ | 21 June 1972 | United Kingdom | | |
| TY | AL4 | WO 93/25245 ✓ | 23 Dec. 1993 | WIPO | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| | |
|-------------------------------|--------------------------------------|
| EXAMINER /Tae Yoon/ | DATE CONSIDERED 08/17/2006 |
|-------------------------------|--------------------------------------|

| | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--|----------------------------------|---------------|
| PTO:1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION June 15, 2004 (Use several sheets if necessary) | ATTORNEY DOCKET NO. 1407.1037-009 | | APPLICATION NO. 10/734,652 | |
| | FIRST NAMED INVENTOR Anuj Bellare | | FILING DATE December 12, 2003 | |
| | EXAMINER Unknown | | CONFIRMATION NO. 8950 | GROUP 1714 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TY | AR | Souheng Wu, E., "A Generalized Criterion for Rubber Toughening: The Critical Matrix Ligament Thickness," <i>J. Appl. Polymer Sci.</i> , 35: 549-561 (1988). |
| TY | AS | Lewis, G., "Properties of Acrylic Bone Cement: State of the Art Review," <i>J. Biomed. Mater. Res.</i> , 38(2): 155-182 (1997). |
| TY | AT | Molino, L. N., and Topoleski, L.D.T., "Effect of BaSO ₄ on the Fatigue Crack Propagation Rate of PMMA Bone Cement," <i>J. Biomed. Mater. Res.</i> , 31: 131-137 (1996). |
| TY | AU | Jacoby, M., "Photonic Crystals: Whole Lotta Holes Prepared by New Procedures, Materials With Arrays of Large Holes May Hasten Development of Optical-based Technologies," <i>C&EN</i> , 11-23 38-43 (1998). |
| TY | AV | Lewis, G., "Research Directions in Acrylic Bone Cement Studies," <i>BMES Bul.</i> , 20(1): 4-20 (1996). |
| TY | AW | Wang, J. S., et al., "Porosity of Bone Cement Reduced by Mixing and Collecting Under Vacuum," <i>Acta Orthop. Scand.</i> , 64(2): 143-146 (1993). |
| TY | AX | Wixson, R., et al., "Vacuum Mixing of Acrylic Bone Cement," <i>J. Arthroplasty</i> , 2(2): 141-149 (1987). |
| TY | AY | Saha, S. and Pal, S., "Mechanical Properties of Bone Cement: A Review," <i>J. Biomed. Mater. Res.</i> , 18: 435-462 (1984). |
| TY | AZ | Pascual, B., et al., "New Aspects of the Effect of Size and Size Distribution on the Setting Parameters and Mechanical Properties of Acrylic Bone Cements," <i>Biomaterials</i> , 17(5): 509-516 (1996). |
| TY | AR2 | James, S. P., et al., "Extensive Porosity at the Cement-Femoral Prosthesis Interface: A Preliminary Study," <i>J. Biomed. Mater. Res.</i> , 27: 71-78 (1993). |
| TY | AS2 | Fumich, R.M. and Gibbons, D. F., "Rate of Mixing and the Strength of Methylmethacrylate Bone Cements," <i>Orthopaedic Rev.</i> , 8(9): 41-44 (1979). |
| TY | AT2 | Bishop, N.E., et al., "Porosity Reduction in Bone Cement at the Cement-Stem Interface," <i>J. Bone Surg.</i> , 78-B(3): 359-356 (1996). |
| TY | AU2 | Topoleski, L.D., et al., "Microstructural Pathway of Fracture in Poly(methyl methacrylate) Bone Cement," <i>Biomaterials</i> , 14(15): 1165-1172 (1993). |

| | | | |
|----------|------------|-----------------|------------|
| EXAMINER | /Tae Yoon/ | DATE CONSIDERED | 08/17/2006 |
|----------|------------|-----------------|------------|

| | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--|----------------------------------|---------------|
| PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION June 15, 2004 (Use several sheets if necessary) | ATTORNEY DOCKET NO. 1407.1037-009 | | APPLICATION NO. 10/734,652 | |
| | FIRST NAMED INVENTOR Anuj Bellare | | FILING DATE December 12, 2003 | |
| | EXAMINER Unknown | | CONFIRMATION NO. 8950 | GROUP 1714 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|------------------------------------------------------------------------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TY | AV2 | Mapleston, P., "Broad Use Spectrum Seen for Microcellular Injection technique," <i>Modern Plastics</i> December(1998). page 31 |
| TY | AW2 | Schreurs, B.W., <i>et al</i> "Effects of Preparation Techniques on the Porosity of Acrylic Cements," <i>Acta Orthop Scand</i> 59(4):403-409 (1988). |
| TY | AX2 | Müller-Wille, <i>et al.</i> , "Integrated System for Preparation of Bone Cement and Effects on Cement Quality and Environment," <i>J. Biomed. Mat. Res.</i> , 38(2):135-42 (1997) Summer. |
| TY | AY2 | Knoell, A., <i>et al.</i> , abstract, Ei Compendex®, "Graphite Fiber Reinforced Bone Cement," <i>Ann. Biomed. Eng.</i> , 3(2): 225-229 (1975). |
| TY | AZ2 | Kindt-Larsen, Ture, <i>et al.</i> "Innovations in Acrylic Bone Cement and Application Equipment," <i>J. App. Biomater.</i> , 6:75-83 (1995). |
| TY | AR3 | Fritsch, E. W., "Static and Fatigue Properties of Two New Low-Viscosity PMMA Bone Cements Improved by Vacuum Mixing," <i>J. Biomed. Mat. Res.</i> , 31:451-456 (1996). |
| TY | AS3 | Connelly, T. J., <i>et al.</i> , "The Role of Porosity in the Shrinkage of Acrylic Bone Cement," <i>Trans 13th Mtg. Soc. Biomat</i> , June 2-6, New York, NY 1987. |
| TY | AT3 | Haas, S. S., <i>et al.</i> , "A Characterization of Polymethylmethacrylate Bone Cement," <i>J. Bone Joint Surg.</i> , 57-A:380-391 (1975). |
| TY | AU3 | Sabokbar, A., <i>et al.</i> , abstract Medline®, "Radio-Opaque Agents in Bone Cement Increase Bone Resorption," <i>J. Bone Joint Surg. Br.</i> , 79(1):129-134 (1997). |
| TY | AV3 | Lazarus, M.D., <i>et al.</i> , abstract Medline®, "Comparison of the Inflammatory Response to Particulate Polymethylmethacrylate Debris With and Without Barium Sulfate," <i>J. Orthop Res.</i> , U.S., 12(4):532-541 (1994). |
| TY | AW3 | Topoleski, L.D., <i>et al.</i> , abstract Medline®, "A Fractographic Analysis of <i>in vivo</i> Poly(methyl Methacrylate) Bone Cement Failure Mechanisms," <i>J. Biomed Mater Res.</i> , 24(2):135-154 (1990). |
| TY | AX3 | Nakahara, M., abstract Medline®, "An Objective Examination for Painful Hip After Total Hip Arthroplasty," <i>Acta Orthop. Scand.</i> 53(4):591-600 (1982). |

| | |
|----------------------------|-----------------------------------|
| EXAMINER /Tae Yoon/ | DATE CONSIDERED 08/17/2006 |
|----------------------------|-----------------------------------|

| | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--|-----------------------------------------|----------------------|
| PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION June 15, 2004 (Use several sheets if necessary) | ATTORNEY DOCKET NO. 1407.1037-009 | | APPLICATION NO. 10/734,652 | |
| | FIRST NAMED INVENTOR Anuj Bellare | | FILING DATE December 12, 2003 | |
| | EXAMINER Unknown | | CONFIRMATION NO. 8950 | GROUP 1714 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|------------------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TY | AY3 | Rudigier, J., <i>et al.</i> , abstract Medline®, "Release and Diffusion of Methylmethacrylic Monomers After the Implantation of Self Curing Bone Cements," <i>Unfallchirurgie</i> , 7(3):132-137 (1981). |
| TY | AZ3 | Beaumont, P.W., abstract Medline®, "Fracture Processes in Acrylic Bone Cement Containing Barium Sulphate Dispersions," <i>J. Biomed Eng.</i> , 1(3): 147-152 (1979). |
| TY | AR4 | Rudigier, J., <i>et al.</i> , abstract Medline®, "Biological Effect of Bariumsulfate as Contrast Material in Bone Cement," 86(3):279-290 (1976). |
| TY | AS4 | Friis, E.A., <i>et al.</i> , abstract Ei Compendex®, "Fracture Toughness of Surface-Treated Carbon Fiber Reinforced Composite Bone Cement," <i>Transactions of the Annual Meeting of the Society For Biomaterials</i> , St. Louis Park, MN, USA, Pg. 913. (1996) |
| TY | AT4 | Lerouge, S., <i>et al.</i> , abstract Medline®, "Characterization of <i>in vivo</i> Wear Debris From Ceramic-Ceramic Total Hip Arthroplasties," <i>J. Biomed. Mater Res.</i> , 32(4):627-633 (1996). |
| TY | AU4 | Yoshida, K., and Greener, E.H., abstract Medline®, "Effects of Coupling Agents on Mechanical Properties of Metal Oxide-Polymethacrylate Composites," <i>J. Dent.</i> , 22(1):57-62 (1994). |
| TY | AV4 | Hopf, C., <i>et al.</i> , abstract Medline®, "Comparative Studies on the Radioactivity of Bone Cements Containing X-Ray Contrast Media and of the Contrast Media," <i>Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr</i> , 152(5):601-200 (1990). |
| TY | AW4 | Streicher, R.M., <i>et al.</i> , abstract Medline®, "New Surface Modification for Ti-6Al-7Nb Alloy: Oxygen Diffusion Hardening (ODH)," <i>Biomaterials</i> , 12(2):125-129 (1991). |
| TY | AX4 | Hopf, W., <i>et al.</i> , abstract Medline®, "About Radioactivity in Some PMMA Bone Cements," <i>Acta Orthop. Belg.</i> , 56(2):443-444 (1990). |
| TY | AY4 | Gross, U., and Strunz, V., abstract Medline®, "The Interface of Various Glasses and Glass Ceramics With a Bony Implantation Bed," <i>J. Biomed. Mater Res.</i> , 19(3):251-271 (1985). |
| TY | AZ4 | Bhambri, S.K., and Gilbertson, L.N., abstract Medline®, "Micromechanisms of Fatigue Crack Initiation and Propagation in Bone Cements," <i>J. Biomed. Mater Res.</i> , 29(2):233-237 (1995). |
| TY | AR5 | Owen, A.B., and Beaumont, P.W., abstract Medline®, "Fracture Behaviour of Commercial Surgical Acrylic Bone Cements," <i>J. Biomed Eng.</i> , 1(4):277-280 (1979). |

| | |
|-------------------------------|--------------------------------------|
| EXAMINER /Tae Yoon/ | DATE CONSIDERED 08/17/2006 |
|-------------------------------|--------------------------------------|

| | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--|----------------------------------|---------------|
| PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION June 15, 2004 (Use several sheets if necessary) | ATTORNEY DOCKET NO. 1407.1037-009 | | APPLICATION NO. 10/734,652 | |
| | FIRST NAMED INVENTOR Anuj Bellare | | FILING DATE December 12, 2003 | |
| | EXAMINER Unknown | | CONFIRMATION NO. 8950 | GROUP 1714 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TY | AS5 | Freitag, T.A., and Cannon, S.L., abstract Medline®, "Fracture Characteristics of Acrylic Bone Cements, I. Fracture Toughness," <i>J. Biomed. Mater. Res.</i> , 10(5):805-828 (1976). |
| TY | AT5 | Holland, B.T., et al., "Synthesis of Macroporous Minerals With Highly Ordered Three-dimensional Arrays of Spheroidal Voids," <i>Science</i> , 81:538-540. |
| TY | AU5 | Gilbert, J.L., and Ney, D.E., abstract, RAPRA Rubber & Plastics, "Self-Reinforced Composite PMMA: Static and Fatigue Properties," <i>Biomaterials</i> , 16(14):1043-1055 (1995). |
| TY | AV5 | Pourdeyhimi, B., et al., abstract, Ei Compendex®, "Comparison of Mechanical Properties of Discontinuous Kevlar 29 Fibre Reinforced Bone and Dental Cements," <i>J. Mat. Sci.</i> , 21(12):4468-4474 (1986). |
| TY | AW5 | James, S.P., et al., "A Fractographic Investigation of PMMA Bone Cement Focusing on the Relationship Between Porosity Reduction and Increased Fatigue Life," <i>J. Biomed. Mater. Res.</i> , 26:651-652 (1992). |
| TY | AX5 | Jasty, M., et al., "The Initiation of Failure in Cemented Femoral Components of Hip Arthroplasties," <i>J. Bone Joint Surg.</i> , 73(B):551 (1991). |
| TY | AY5 | Pourdeyhimi, B., et al., "Elastic and Ultimate Properties of Acrylic Bone Cement Reinforced with Ultra-High-Molecular-Weight Polyethylene," <i>J. Biomed. Materials Res.</i> , 23(1): 63-80 (1989). |
| TY | AZ5 | Burke, D.W., et al., "Centrifugation as a Method of Improving Tensile and Fatigue Properties of Acrylic Bone Cement," <i>J. Bone Joint Surg.</i> , 66(A):1265-1273 (1984). |
| TY | AR6 | Davies, J.P., et al., "The Effect of Centrifuging Bone Cement," <i>J. Bone Joint Surg.</i> , 71(B):39-42 (1989). |
| TY | AS6 | Davies, J.P., et al., "Comparison of the Mechanical Properties of Simplex P, Zimmer Regular, and LVC Bone Cements," <i>J. Biomed. Mater. Res.</i> , 21:719-730 (1987). |
| TY | AT6 | Topoleski, L.D., et al., "The Effects of Centrifugation and Titanium Fiber Reinforcement on Fatigue Failure Mechanisms in Poly(methyl methacrylate) Bone Cement," <i>J. Biomed. Mater. Res.</i> , 29:299-307 (1995). |
| TY | AU6 | Lewis, G, et al., "Effect of Mixing Method on Selected Properties of Acrylic Bone Cement," <i>J. Biomed. Mater. Res.</i> , 38:221-227 (1997). |

| | |
|------------------------|-------------------------------|
| EXAMINER /Tae Yoon/ | DATE CONSIDERED 08/17/2006 |
|------------------------|-------------------------------|

| | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--|----------------------------------|---------------|
| PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION June 15, 2004 (Use several sheets if necessary) | ATTORNEY DOCKET NO. 1407.1037-009 | | APPLICATION NO. 10/734,652 | |
| | FIRST NAMED INVENTOR Anuj Bellare | | FILING DATE December 12, 2003 | |
| | EXAMINER Unknown | | CONFIRMATION NO. 8950 | GROUP 1714 |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TY | AV6 | Trieu, H.H., et al., "A Comparative Study of Bone Cement Preparation Using a New Centrifugation Mixing Technique," <i>The 20th Annual Meeting of the Society for Biomaterials</i> , April 5-9, Boston, Massachusetts (1994). |
| TY | AW6 | Treharne, R.W., and Brown, N., abstract Medline®, "Factors Influencing the Creep Behavior of Poly(Methyl Methacrylate) Cements," <i>J. Biomed Mater. Res.</i> , 9(4): 81-88 (1975). |
| TY | AX6 | Imhof, A., and Pine, D.J., "Ordered Macroporous Materials by Emulsion Templating," <i>Nature</i> , 389(30): 948-951 (1997). |
| TY | AY6 | Pedley, R.B., et al., abstract Medline®, "Identification of Acrylic Cement Particles in Tissues," <i>Ann. Biomed. Eng.</i> 7(3-4):319-328 (1979). |
| TY | AZ6 | Demian, et al., "Regulatory Perspective on Characterization and Testing of Orthopedic Bone Cement," <i>Biomaterials</i> , 19:1607-1618 (1998). |
| TY | AR7 | Wu, S., "A Generalized Criterion for Rubber Toughening: The Critical Matrix Ligament Thickness," <i>J. Appl. Polym. Sci.</i> , 35:549-561 (1988). |
| TY | AS7 | Charnley, J., "Anchorage Of The Femoral Head Prosthesis To The Shaft of The Femur," <i>The J. of Bone and Joint Surgery</i> , 42-B:28-30 (1960) |
| TY | AT7 | Friis, E. A., et al., "Fracture Toughness Of Vacuum Mixed PMMA Bone Cement," <i>Transactions, Nineteenth Annual Meeting of the Society For Biomaterials, April 28 - May 2, 1993</i> , 16:301 (1993) |
| TY | AU7 | Skinner, H. B., et al., "Density Gradients In Bone Cement After Centrifugation," <i>Transactions, 31st Annual Meeting Orthopaedic Research Society, Las Vegas, Nevada, January 21-24, 1985</i> , 10:243 (1985) |
| TY | AV7 | Gharpuray, V. M., et al., "Cracks Emanating From Circular Voids or Elastic Inclusions in PMMA Near a Bone-Implant Interface," <i>Transactions Of The ASME, J. Of Biomech. Engineer.</i> , 112(1):22-28 (1990) |
| TY | AW7 | Kurtz, S. M., et al., "Advances in the Processing, Sterilization, and crosslinking of ultra-high molecular weight polyethylene for total joint arthroplasty," <i>Biomaterials</i> , 20(18):1659-1688 (1999) |
| TY | AX7 | Vila, M. M., et al., "Effect of Porosity and Environment on the Mechanical Behavior of Acrylic Bone Cement Modified With Acrylonitrile-Butadiene-Styrene Particles: I. Fracture Toughness," <i>J. Of Biomed. Materials Research</i> , 48:121-127 (1999) |

| | |
|------------------------|-------------------------------|
| EXAMINER /Tae Yoon/ | DATE CONSIDERED 08/17/2006 |
|------------------------|-------------------------------|

| | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--------------------------|----------------------------------|--|
| PTO-1449 REPRODUCED INFORMATION DISCLOSURE CITATION IN AN APPLICATION June 15, 2004 (Use several sheets if necessary) | ATTORNEY DOCKET NO. 1407.1037-009 | | APPLICATION NO. 10/734,652 | |
| | FIRST NAMED INVENTOR Anuj Bellare | | FILING DATE December 12, 2003 | |
| | EXAMINER Unknown | CONFIRMATION NO. 8950 | GROUP 1714 | |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | |
|------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TY | AY7 | Vila, M. M., <i>et al.</i> , "Effect of Porosity and Environment on the Mechanical Behavior of Acrylic Bone Cement Modified With Acrylonitrile-Butadiene-Styrene Particles: Part II. Fatigue Crack Propagation," <i>Of Biomed. Materials Research</i> , 48:128-134 (1999) |
| TY | AZ7 | Murakami, A., <i>et al.</i> , "Rubber-modified Bone Cement," <i>J. Of Materials Science</i> , 23(6):2029-2036 (1988) |
| TY | AR8 | Puckett, A. D., <i>et al.</i> , "Improved Orthopaedic Bone Cement Formulations Based On Rubber Toughening," <i>Critical Reviews In Biomed. Engineer.</i> , 28(3&4): 457-461 (2000) |
| TY | AS8 | Kennedy, J. P., <i>et al.</i> , "Polyisobutylene-toughened poly(methyl methacrylate): III. PMMA- <i>l</i> -PIB Networks As Bone Cements," <i>J. Of Biomaterials Sci., Polymer Edition</i> , 4(5):445-449 (1993) |
| TY | AT8 | Moseley, J. P., <i>et al.</i> , "The Development and Characterization Of A Fracture-Toughened Acrylic For Luting Total Joint Arthroplasties," <i>J. Of Biomed. Materials Research</i> , 47(4):529-536 (1999) |
| TY | AU8 | Kim, H. Y., <i>et al.</i> , "Improvement Of Fatigue Properties of Poly(methyl methacrylate) Bone Cement By Means Of Plasma Surface Treatment Of Fillers," <i>J. Of Biomed. Materials Research</i> , 48(2):135-142 (1999) |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| | |
|------------------------|-------------------------------|
| EXAMINER /Tae Yoon/ | DATE CONSIDERED 08/17/2006 |
|------------------------|-------------------------------|